WP(C) 3822/2016

BEFORE

HON'BLE MR JUSTICE ARUP KUMAR GOSWAMI

These two writ petitions are directed against the order dated 17.6.2016, passed by the Joint Director of Health Services, Goalpara, closing down the Health Esta blishments of the petitioners. The order reads as follows:

It has been found that in spite of repeated instruction from the undersigned to close down your Laboratory/X-Ray Centre until approval and getting necessary re gistration of license from higher authority, you are running your Laboratory/X-R ay Centre without any information and permission from the office of the undersig ned.

Hence, you are hereby directed to close down your Laboratory/X-Ray Centre immediately and not to functionalize it till receipt of license from Health Authority. Failure to which will be liable for necessary disciplinary action as per Assam Health Establishment Act, 1993 & 1995.

On specific instruction, Mr. S.K. Talukdar, learned standing counsel, Health Dep artment submits that as Rules under the Clinical Establishment Act, 2010, for sh ort the, 2010 Act, have not been yet been framed and as it is in the process of being finalized, petitioners may be allowed to continue to run their Health Esta blishments and that the writ petition can be disposed of by setting aside the or der dated 17.6.2016. He, however, submits that the petitioners will have to comp ly with the requirements that may be incorporated in the Rules once the same are framed.

Mr. H. Das, learned counsel for the petitioners submits that petitioners will take necessary steps and comply with the Rules when the same are brought into oper ation.

In view of the submission of Mr. Talukdar, there will be no surviving cause of a ction and therefore, the writ petitions are disposed of setting aside the order dated 17.6.2016 and providing that the petitioners will be allowed to run their Health Establishments. It is also provided that when the Rules under the 2010 Act are framed and brought into effect, the petitioners will comply with the requirements that may be embodied in the Rules.